



POWER SOLUTIONS[®]
INTERNATIONAL

MOTEURS
Baudouin
AUTHORIZED PSI DISTRIBUTOR

10LT NATURAL GAS/PROPANE ENGINE

The PSI 10-liter is a U.S. EPA-certified natural gas and propane engine developed from the block up to be a reliable and durable power unit. Built upon a proven marine-diesel grade block, the 6-cylinder, turbocharged and after-cooled engine features replaceable wet liners and water-cooled exhaust.

Superior engine performance is driven by an ECU that integrates and coordinates all critical functions including: Governor, Variable Ignition Timing, Air Fuel Ratio Control, Knock Suppression and Engine Protection.

The PSI Power Systems product lineup has displacements from 0.97L to 65L. These engines are an extension of the PSI product line, which is based upon blocks from 650cc to 8.8L. All PSI engines feature the same fuel systems and controls, simplifying your application development and support.



GENERAL DATA

- Turbo-charged and after cooled, cast iron with dry cylinder liners
- Cast iron cylinder block with inspection door per cylinder
- Weichai supplied engine block
- High strength alloy steel forged crankshaft
- Forged Connecting Rod Aluminum Alloy Pistons with Gallery Oil Cooling
- Thermostatically-controlled cooling system with engine integrated oil cooler
- J1939 CANBUS interface
- 3-Way Catalyst
- High efficiency air filter
- Variety of Flywheels (11.5", 14"), Ring Gears and Housing
- Proven US ECU, fuel system and engine control
- High Capacity, Gear Driven Oil Pump
- Cartridge-Type Filters

POWER RATINGS

	Speed RPM	Natural Gas									LPG								
		ESP			PRP			COP			ESP			PRP			COP		
		kWm	kWe	kVA	kWm	kWe	kVA	kWm	kWe	kVA	kWm	kWe	kVA	kWm	kWe	kVA	kWm	kWe	kVA
10LT	1500	230	202	253	200	176	220	140	123	154	160	141	176	160	141	176	112	99	123
	1800	236	208	260	200	176	220	140	123	154	168	148	185	168	148	185	118	103	129

kWe values are based on standard assumptions for mechanical and electrical losses. Ratings and performance is subject to site conditions and PSI application and ratings guidelines.



FEATURES

- U.S. EPA-Certified
- Oil cooled light alloy pistons with high performance piston rings
- Hardened valves and valve seats
- Valley mounted water cooled exhaust manifold
- Telematics compatibility

PSI 10 LITER ENGINE DATA

Model Number	10L
Cylinders	1-6
Induction System	Turbocharged & air-cooled
Combustion System	Spark-ignited
Cooling System	Water-cooled
Displacement	10L
Compression Ratio	10.5:1
Bore & Stroke	126 mm x 130 mm
Fuel Type	Natural Gas / Propane
Direction of Rotation	Counter-clockwise viewed on flywheel
Dry Weight	1,000 kg

